



# ÆLVE/SPEILET

## General information Sal 1:

Sal 1 at Ælvespeilet is a medium size concert hall

Load in:

From street level

4m Gate height

3m Gate width

Parking for production vehicles is available on request.

## Size:

The venue measures 16 m in width and 30 m length.

Seats in auditorium 403 Inc. Seats in orchestra pit

Stage depth from orchestra pit 9,5m

Stage depth from proscenium 8,5m

Stage total width 16m

Proscenium height 8m

Stage total width 16m

Proscenium width 14m Whit Black box curtain

Proscenium width 10m Whit Legs

## Legs, borders, curtains and backdrop:

Front curtain	1	Manual curtain
Legs	4	Pairs, width 2,5 height 7m
Mid-stage Curtains	1	Black echo velour
Masking borders	2	width 12,4m, height 3,2m
Masking borders	3	width 12,4m, height 2m
Backdrop	1	Blackbox curtain
Cyclorama	1	width 12,4, height 8m

## Power on stage

2 x 63A 400V + 1 x 32a 400V MSL

2 x 63A 400V + 1 x 32a 400V MSR

6 x 16A Shuko/Soca USL

## Power on walkway

1 x 63A 400V + 32A 400V SL

1 x 63A 400V + 32A 400V SR

## Flybars

	Type	Max Payload (kg)	Distance to next bar	
1	Free	400	200 cm	
2	LX 1	400	280 cm	One Aura
Truss	LX 2	500	200 cm	Lights
3	Free	400	80 cm	
4				Not existing
5	Free	400	40 cm	
6	LX 3	400	40 cm	Lights
7	Legs	400	40 cm	
8		400	40 cm	
9		400	40 cm	
10		400	40 cm	Lights
11		400	40 cm	
12		400	40 cm	Lights
13		400	40 cm	
14		400	40 cm	
15		400	40 cm	
16		400	40 cm	Lights
17		400	40 cm	
18		400	40 cm	
19		400	40 cm	Lights
20		400	40 cm	
21		400	40 cm	
22		400	40 cm	
23		400	40 cm	Lights
24		400	40 cm	
25		400	Rear Wall	

Maximum trusshight 9.60 m

Minimum tusshight 1.20m

25 motorised flybars, maximum 400 kg on each bar,  
computer control

## Lights

Type	Mode	Count
ADB Europe F101		19
ADB Europe F201		12
Alpha Profile 800 ST	Vector	2
Alpha Spot HPE 300	Standar ,LampON	8
Blinder 2 Light	1 ch	8
MAC Aura	Basic, Color calibration ON	14
PAR 64		42
SPX 15<>35° Zoom		17
Martin Rush Par2 - Floor	9 CH	10
Blinder 2 Light - Floor	1 ch	4
PAR 64 Floorcans		12
ADB Europe F51		6
Edison Bulbs		24
Grand MA2 Light		1

## AV

Type		Count
Projector: Epson 15000 ansilumen laser Main.	L1755UNL	1
Epson Middle Throw Zoom Lens3	(ELPLM10)	1
Epson Wide Zoom Lens	(ELPLW06)	1
Epson Middle-Throw Zoom Lens#2	(ELPLM15)	1
Motorised projection screen 590×332		1
Projector: Projectiondesign F32 Spare.		1
Standard Zoom Lens	EN111.73:1-2.51:1	1
Short Tele Zoom Lens	EN142.37:1-3.79:1	1
Blackmagic	ATEM 2 M/E	1
Skaarhoj (Remot control for ATME)	SK-E21-CMB6MII	1
Barco ImagePRO-II series		1
Rackmac, containing 2 x Mac Mini		1
MicroCue2-L with Green Laser Handset.		1
Blackmagic HDMI - SDI		
Blackmagic SDI - HDMI		
Lectern with HDMI and VGA Input. SDI and HDbaseT output		1

AV: 1 x  
1 x

Optional Lenses:

EN14 Short Tele Zoom Lens 2.37:1-3.79:1  
Blackmagic SDI - HDMI

Blackmagic HDMI - SDI

Walkway can be accessed by elevator, staircase and step ladder  
The walkway is located 8 m above the stage floor.

#### Contact

Technical director: Christian Brekkling  
Phone: +4795992426  
Email: christian@elvespeilet.no

Lighting Director: Lars Martin K Eriksen  
Phone: +4745206474  
Email: lme@elvespeilet.no